

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) 2020/878



Article No.:	DECK	Deck master	
Print date:	22.01.2024	Revision date: 28.11.2023	127009 EN
Version:	29-0	Issue date: 28.11.2023	Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Article No. (manufacturer/supplier)	DECK
Trade name/designation	Deck master

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

for cleaning

Uses advised against

There is no information available for use is discouraged facing.

1.3. Details of the supplier of the safety data sheet

supplier (manufacturer/importer/downstream user/distributor)

Master Yacht Care BV	Telephone: +31 (0) 85 0220638
Rendementsweg 4C	Telefax:
NL - 3641 SK Mijdrecht	E-mail: info@masteryachtcare.com
The Netherlands	Homepage : www.masteryachtcare.com

Department responsible for information:

	+31 (0) 85 0220638
E-mail (competent person)	info@masteryachtcare.com

1.4. Emergency telephone number

Nationaal Vergiftigingen Informatie Centrum - UMC 0887558000
Utrecht
Exclusively intended for healthcare professionals in acute poisoning.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Skin Irrit. 2 / H315	Skin corrosion/irritation	Causes skin irritation.
Eye Dam. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Danger

Hazard statements

H315	Causes skin irritation.
H318	Causes serious eye damage.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves and eye/face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
P310	Immediately call a doctor.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Hazard components for labelling

SODIUM METASILICATE PENTAHYDRATE

Supplemental hazard information

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) 2020/878



Article No.: DECK Deck master
Print date: 22.01.2024 Revision date: 28.11.2023
Version: 29-0 Issue date: 28.11.2023
127009 EN
Page 2 / 8

not applicable

2.3. Other hazards

The mixture does not contain any "substances of very high concern" (SVHC) $\geq 0,1$ %, as published by the European Chemical Agency (ECHA) according to Article 57 of Regulation (EC) No 1907/2006 (REACH).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description cleaning preparation based on surfactants

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No. CAS No. Index No.	REACH No. Designation classification: // Remark	weight-%
229-912-9 10213-79-3	SODIUM METASILICATE PENTAHYDRATE Met. Corr. 1 H290 / Skin Corr. 1B H314 / STOT SE 3 H335	1 - 5
310-127-6 61827-42-7	POLYETHYLENEGLYCOLMONOISODECYLETHER Acute Tox. 4 H302 / Eye Dam. 1 H318	1 - 5
260-252-4 56539-66-3	01-2119976333-33-xxxx 3-Methoxy-3-Methyl-1-Butanol Eye Irrit. 2 H319	1 - 5

Additional information

Full text of classification: see section 16

Labelling for contents according to regulation (EC) No. 648/2004

weight-%	Ingredient
< 5 %	non-ionic surfactants

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In all cases of doubt, or when symptoms persist, seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

Following skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Keep victim calm. Do NOT induce vomiting. Call a physician immediately. If medical advice is needed, have product container or label at hand.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Mammalian cells (with metabolic activation)

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder, Carbon dioxide (CO₂), spray mist, (water)

Unsuitable extinguishing media

strong water jet

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) 2020/878



Article No.:	DECK	Deck master	
Print date:	22.01.2024	Revision date:	28.11.2023
Version:	29-0	Issue date:	28.11.2023
			127009 EN Page 3 / 8

- 5.2. **Special hazards arising from the substance or mixture**
Inhaling hazardous decomposing products can cause serious health damage.
- 5.3. **Advice for firefighters**
Wear suitable protective clothing.

SECTION 6: Accidental release measures

- 6.1. **Personal precautions, protective equipment and emergency procedures**
Use personal protection equipment. Do not breathe vapours.
- 6.2. **Environmental precautions**
Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.
- 6.3. **Methods and material for containment and cleaning up**
Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Treat the recovered material as prescribed in the section on waste disposal. Provide adequate ventilation.
- 6.4. **Reference to other sections**
Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

- 7.1. **Precautions for safe handling**
Advices on safe handling
Further information
non-combustible liquids that cannot be assigned to any of the above storage classes
- 7.2. **Conditions for safe storage, including any incompatibilities**
Requirements for storage rooms and vessels
Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.
Hints on joint storage
Keep away from strongly acidic and alkaline materials as well as oxidizers.
Further information on storage conditions
Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.
- 7.3. **Specific end use(s)**
Observe technical data sheet. Observe instructions for use, Follow the instructions for use on the label.

SECTION 8: Exposure controls/personal protection

- 8.1. **Control parameters**
Occupational exposure limit values:
not applicable
- 8.2. **Exposure controls**
Provide good ventilation. This can be achieved with local or room suction.
Personal protection equipment
Respiratory protection
Not applicable.
Suitable respiratory protection apparatus: Respiratory protection is required for not sufficiently ventilated working places and during the spraying processing.
Hand protection
For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)
Thickness of the glove material 0,4 mm Breakthrough time: 30 min
Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin: Recommended glove articles EN ISO 374

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) 2020/878



Article No.:	DECK	Deck master	
Print date:	22.01.2024	Revision date:	28.11.2023
Version:	29-0	Issue date:	28.11.2023
			127009 EN
			Page 4 / 8

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear suitable protective clothing and gloves.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Appearance:	Liquid
Colour:	refer to label
Odour:	characteristic
Odour threshold:	not determined
Melting point/freezing point:	not determined
Initial boiling point and boiling range:	not determined
Flammability	Combustible liquid.
Lower and upper explosion limit:	
Lower explosion limit:	1,2 Vol-% Source: 3-Methoxy-3-Methyl-1-Butanol
Upper explosion limit:	13,1 Vol-% Source: 3-Methoxy-3-Methyl-1-Butanol
Flash point:	> 100 °C Method: EN ISO 13736
Auto-ignition temperature:	395 °C Source: 3-Methoxy-3-Methyl-1-Butanol
Decomposition temperature:	not determined
pH at 20 °C:	11,3 / 100,0 weight-%
Cinematic viscosity (40°C):	< 20 mm²/s
Viscosity at 20 °C:	< 12 s 4 mm Method: DIN 53211
Solubility(ies):	
Water solubility at 20 °C:	completely miscible
Partition coefficient: n-octanol/water:	see section 12
Vapour pressure at 20 °C:	19,8945 mbar
Density and/or relative density:	
Density at 20 °C:	1,03 g/cm³ Method: EN ISO 2811-1
Relative density at 20 °C:	not determined
Bulk density:	
Relative vapour density:	not determined
particle characteristics:	not determined

9.2. Other information

Solid content: **8,53 weight-% / 8,04 L/kg / 8,27 Vol-%**
Remark: Solid contentRemark

Solvent:

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) 2020/878



Article No.: DECK
Print date: 22.01.2024
Version: 29-0

Deck master
Revision date: 28.11.2023
Issue date: 28.11.2023

127009 EN
Page 5 / 8

Organic solvents:	3 weight-%
aromatic hydrocarbons:	0 weight-%
Water:	87 weight-%
Drop point/drop range:	
Pour point:	0 °C
Explosive properties:	not applicable
Oxidising properties:	not applicable
Burning time:	not determined
Evaporation rate:	not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

noneThermal decomposition can lead to the escape of irritating gases and vapours.Hazardous decomposition byproducts may form with exposure to high temperatures.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity, calculated:

ATEmix, oral: > 5000 mg/kg

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Causes skin irritation.

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) 2020/878



Article No.:	DECK	Deck master	
Print date:	22.01.2024	Revision date:	28.11.2023
Version:	29-0	Issue date:	28.11.2023
			127009 EN Page 6 / 8

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP]
Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Control report for waste code/ waste marking according to EAKV:

200129* Detergents containing hazardous substances

*Hazardous waste according to Directive 2008/98/EC (waste framework directive).

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) 2020/878



Article No.: DECK Deck master
Print date: 22.01.2024 Revision date: 28.11.2023
Version: 29-0 Issue date: 28.11.2023 127009 EN
Page 7 / 8

not applicable

14.5. Environmental hazards

Land transport (ADR/RID) not applicable
Marine pollutant not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.
Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code -

Sea transport (IMDG)

EmS-No. not applicable

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

This product is not classified according to Directive 2012/18/EU.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L): 26

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Identification on the label/Trade name

Child-resistant fastenings (EN/862/ISO 8317): No

Tactile warning according to EN/ISO 11683: No

15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation	REACH No.
CAS No.		
260-252-4	3-Methoxy-3-Methyl-1-Butanol	01-2119976333-33-xxxx
56539-66-3		

SECTION 16: Other information

Full text of classification in section 3:

Met. Corr. 1 / H290	Corrosive to metals	May be corrosive to metals.
Skin Corr. 1B / H314	Skin corrosion/irritation	Causes severe skin burns and eye damage.
STOT SE 3 / H335	STOT-single exposure	May cause respiratory irritation.
Acute Tox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.
Eye Dam. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.
Eye Irrit. 2 / H319	Serious eye damage/eye irritation	Causes serious eye irritation.

Classification procedure

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2	Skin corrosion/irritation	Calculation method.
Eye Dam. 1	Serious eye damage/eye irritation	Calculation method.

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) 2020/878



Article No.:	DECK	Deck master	
Print date:	22.01.2024	Revision date: 28.11.2023	127009 EN
Version:	29-0	Issue date: 28.11.2023	Page 8 / 8

EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.